

We ensure that systems work better.

VULKAN

Solutions for refrigeration and air conditioning technology

LOKPRESS Mini

Cordless assembly tool



CORDLESS ASSEMBLY TOOL



Features:

- ⊕ Lightweight for one-hand operation
- ⊕ Compact design for narrow space operation
- ⊕ Automatic stop after assembly for battery power saving
- ⊕ LED for work area illumination
- ⊕ Made in Germany

For LOKRING connectors:

- ⊕ Type 00 from 1.6 to 11 mm (1/16" to 3/8")
- ⊕ Type Ms 50 from 6 to 12.7 mm (1/4" to 1/2")
- ⊕ Type Al 50 from 6 to 16 mm (1/4" to 5/8")

NOTE: The LOKPRESS Mini comes without assembly jaws. Please select those from the tables below.

Article no. Article name

L14004431	LOKPRESS Mini Set-C-EU
L14004432	LOKPRESS Mini Set-C-US

Technical data

Dimensions incl. rechargeable battery (H x W x L):	approx. 111 x 71 x 393 mm
Operating temperature:	- 10 °C up to 40 °C (14 °F up to 104 °F)
Battery charger:	100 - 240 V 50 - 60 Hz 35 W
Rechargeable battery:	10.8 V / 2.5 Ah Li-Ion
Recharge time:	40 min.
Number of pressings:	Minimum 100
Weight incl. rechargeable battery:	approx. 2.2 kg (4.85 lb)

Scope of supply

Article no.	Article name	Description
L14004393	LOKPRESS Mini LB	Li-Ion battery
L14004394	LOKPRESS Mini BC-EU	Battery charger EU
L14004395	LOKPRESS Mini BC-US	Battery charger US
L14004437	LOKPRESS Mini PC2	Plastic case

ASSEMBLY JAWS FOR LOKRING® CONNECTORS TYPE 00



- Suitable for LOKPRESS Mini, HMRK-V and HMRK-L assembly tools
- Suitable for double-sided assembly of LOKRING connectors type 00

Article no.	Article name	For tube outer- ϕ [mm] "]
L20000200	LOKTOOL MB 8	1.6 - 8.5 1/16 - 5/16
L20000201	LOKTOOL MB 10	9 - 11 3/8

ASSEMBLY JAWS FOR LOKRING® CONNECTORS TYPE 50



- Suitable for LOKPRESS Mini, MZ and MZ-V assembly tools
- Suitable for single-sided assembly of LOKRING connectors type 50

Article no.	Article name	For tube outer- ϕ [mm] "]
L20000304	LOKTOOL MB 8 EVP	6 - 8 1/4-5/16
L20000305	LOKTOOL MB 10 EVP	9 - 11 3/8
L20000306	LOKTOOL MB 12 EVP	12 - 13 1/2
L20000307	LOKTOOL MB 16 EVP	14 - 17 5/8

LOKPRESS MINI LI-ION BATTERY



- Rechargeable Li-Ion battery 10.8 V
- 4 LEDs indicate:
 - Battery charge level
 - Auto-test
 - Maintenance needed
 - Overheat safety stop

Article no.	Article name	Description
L14004393	LOKPRESS Mini LB	Li-Ion battery

LOKPRESS MINI BATTERY CHARGER



- Li-Ion battery charger 100 V - 240 V
- Info panel for battery charging status check

Article no.	Article name	Description
L14004394	LOKPRESS Mini BC-EU	Battery charger EU
L14004395	LOKPRESS Mini BC-US	Battery charger US

PUBLISHER:

VULKAN

CONCEPT AND DESIGN:

Hackforth Holding GmbH & Co. KG
VULKAN Marketing
Heerstraße 66, 44653 Herne / Germany
E-mail: marketing@vulkan.com

STATUS: 11/2023

All duplication, reprinting and translation rights are reserved. Any changes due to the technological progress are reserved. For questions or queries please contact VULKAN.